


Manufactured by: Backyard Discovery 3305 Airport Drive, Pittsburg, KS 66762 800-856-4445

Basepoint Business Centre: Rivermead Drive,Westlea, Swindon SN5 7EX Phone: 0800-118-2476 J.P. Coenstraat 7, The Bridge, The Hague, 2595 WP, Netherlands Phone: 08005678990

# 14x10 Cordova / Barrington Gazebo MODEL # : 2106536F / 2306042B

THE ASSEMBLY MANUAL MUST BE RETAINED SINCE IT CONTAINS IMPORTANT INFORMATION



Please visit www.backyarddiscovery.com For the most up to date assembly manual, to register your product, or to order replacement parts Para obtener instrucciones en español, visite www.backyarddiscovery.com



EASY STEP-BY-STEP 3D INTERACTIVE INSTRUCTIONS DOWNLOAD THE FREE APP




### **OWNER'S MANUAL - BASIC SETUP DIMENSIONS & ASSEMBLY NOTES**

# It is critically important that you start with square and level footings, concrete pad or deck to attach your structure


- Pay close attention to the items needed for each step. Make sure you are using the correct hardware for each step. Using incorrect hardware may result in improper assembly
- Remember to double check for underground utilities and overhead electrical lines


Post mounts are provided with your structure which allows you to permanently install your structure to a pre-existing or new wood or concrete surface. See Anchor Instructions for further details and recommendations.


- The hardware to attach the post mounts to the structure is included.
- The hardware to mount the structure permanently to a concrete surface is included.
- The hardware to mount the structure permanently to a wood deck is NOT included and will need to be purchased separately. You must ensure there is ample structural support under the deck before permanently attaching.




#### **OWNER'S MANUAL - ANCHORING LAYOUT**









#### Wood Components (Not to Scale)






P02 | POST-W2A03572




(16) *5/16x7-3/4* 


#### Hardware Components




#### Accessory Components (Not to Scale)




A4M01191 PANEL BRACKET




 $\begin{array}{c} \textbf{A4M01793} \\ (x8) \end{array} | \text{ POST ANCHOR PLATE} \end{array}$ 



A4M01192 PANEL BRACKET




A4MD1194 PANEL BRACKET




A4M01228 RAFTER CLIP (18)




A4M01794 (x8) | POST PLATE



A4M01193 PANEL BRACKET



A6P00308 6X6 POST FOOT



A4M01184 PANEL SUPPORT BRACKET (2)




9205413 ELECTRICAL **IENCLOSURE** (1)




A4M02501 | FAN MOUNT BRACKET (1)





(4)






Accessory Components (Not to Scale)





A4M02919-2 29 GA STEEL SHEETING

#### Accessory Components (Not to Scale)



### **PRE-ASSEMBLY STEP 1 - SORTING PARTS**

It is critical for ease of assembly that you take the time to sort and organize the wood and hardware.

#### WOOD PARTS:

- Organize wood parts by the three-digit, alpha-numeric number stamped on each board (ex. P01).
- If there are multiple boards with the same stamped number, stack those pieces together.
- Stamps can be found on the flat surface of the boards or on the end of the boards.
- Allow yourself plenty of room the wood pieces can take up a significant amount of space.

#### NOTE: CARTONS ARE NOT ORGANIZED BY BOARD NUMBER.




#### **HARDWARE PARTS:**

- We recommend that you have a separate table to organize the hardware.
- Hardware bags are printed with a seven-digit, alpha-numeric part number.
- You can organize your hardware by part number or group by hardware type (i.e. bolts, nuts, etc.).
- During assembly you only need to reference the last four digits of the number.



### PRE-ASSEMBLY STEP 2 - TOOLS REQUIRED





### PRE-ASSEMBLY STEP 3 - CHOOSE YOUR ASSEMBLY METHOD

There are several types of assembly instructions available to you.

- 1. Printed Assembly Manual included with your set
- 2. BILT APP 3D interactive instructions
- 3. Combination of the Printed Manual and BILT APP (Note: Step numbers can differ between the two methods)




# **STEP 1 - 10FT POST ASSEMBLY**

P01 | POST-W2A03571

(x1) 6"x6"x89 1/2" (152x152x2274)




**P02 | POST-W2A03572** (x1) | 6"x6"x89 1/2" (152x152x2274)



QTY	PART NUMBER	DESCRIPTION
8	H100200	SCREW PFH 8x1 1/2 BLK

TIP:

• FOR EASE OF ASSEMBLY, SAW HORSES ARE **RECOMMENDED FOR STEPS 1 THROUGH 3** 



.

### **STEP 2 - 10FT POST ASSEMBLY**

Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100195	BOLT WH 5/16 X 2 3/4 BLK
8	H100379	T-NUT 5/16 BLK

**D02** (1) |BEAM-W4L16927 | 1 7/16"x5 1/4"x55 3/4" (36x134x1416)

0 9




**D01** (2) **BEAM- W4L16926** | 1 7/16"x5 1/4"x30 15/16" (36x134x786)



C01 |CORBEL-W2A03393 (2) 1 3/8"x6 7/16"x35 1/8" (36x163x893)

#### HAND TIGHTEN BOLTS UNTIL STEP 3



# **STEP 3 - 10FT POST ASSEMBLY**


(x1) 10FT BEAM ASSEMBLY

Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100196	BOLT WH 5/16 X 7 1/4 BLK
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6X15 BLK
2	H100792	LAG SCREW WH 1/4 X 3 BLK

TIPS:

INSERT BOLTS FIRST FOLLOW BY LAG SCREWS

TO AVOID WOOD SPLITTING, MAKE SURE LAG SCREWS GO INTO PILOT HOLES




#### SET 10FT ASSEMBLY TO THE SIDE AND REPEAT STEPS 1 THROUGH 3.

# **STEP 4 - 14FT BEAM ASSEMBLY**

G03	I BEAM - W4L1692	5	
(2)	BEAM - W4L1692 15/16"x5 1/4"x77" (24	x134x1956)	
÷	+ +	+	

Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100378	BOLT WH 5/16 X 1 3/4 BLK
8	H100379	T-NUT 5/16 BLK




### **STEP 5 - 14FT BEAM ASSEMBLY**




Qty	PART NUMBER	DESCRIPTION
4	H100198	WASHER LOCK EXT 8X19 BLK
4	H100378	BOLT WH 5/16 X 1 3/4 BLK
4	H100379	T-NUT 5/16 BLK

G01 | BEAM - W4L16923

(2) 15/16"x5 1/4"x53 3/16" (24x134x1351)




# **STEP 6 - 14FT BEAM ASSEMBLY**




Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100484	BOLT WH 5/16 X 3 1/4 BLK
8	H100379	T-NUT 5/16 BLK

TIP: TWO "C01" PARTS WILL BE USED ON OTHER SIDE



### STEP 7 - 14FT BEAM ASSEMBLY




Qty	PART NUMBER	
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100963	BOLT WH 5/16 X 7 3/4
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6X15 BLK
2	H100792	LAG SCREW WH 1/4 X 3 BLK

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- MOVE THE 10FT POST ASSEMBLIES TO THEIR FINAL LOCATION WITH SOMEONE HOLDING EACH ASSEMBLY UPRIGHT. USING A THIRD PERSON, CONNECT THE 14FT BEAM ASSEMBLY TO THE POSTS TO MAKE THE GAZEBO FRAME.


- INSERT BOLTS FIRST, FOLLOWED BY LAG SCREWS TO AVOID WOOD SPLITTING, MAKE SURE LAG SCREWS GO INTO PILOT HOLES



# SET 14FT UPRIGHT ASSEMBLY TO THE SIDE AND REPEAT STEPS 4 THROUGH 7.


### **STEP 8A: SQUARE STRUCTURE**

#### CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.




TOP VIEW

### **STEP 8B - ROOF SUPPORT ASSEMBLY**




QTY	PART NUMBER	DESCRIPTION
16	H100460	LAG SCREW WH 1/4x1 BLK


DO NOT OVERTIGHTEN




## **STEP 9 - ROOF SUPPORT ASSEMBLY**




# **STEP 10 - ROOF SUPPORT ASSEMBLY**



# **STEP 11 - ROOF SUPPORT ASSEMBLY**






QTY	PART NUMBER	DESCRIPTION
4	H101034	WEATHER PROOFING WASHER
4	H100792	LAG SCREW WH 1/4x3 BLK

TIPS:


- REMOVE PROTECTIVE BLUE FILM BEFORE ASSEMBLY
- ALIGN RIDGE PEAK CAP AND METAL SPACER WITH PILOT HOLES BEFORE INSERTING LAG SCREWS

#### WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES



### **STEP 12 SUPPORT ASSEMBLY**


- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE BASE.
- LIFT ROOF SUPPORT UP AND OVER THE 14FT SIDE AND INSERT INTO CORNER POST CLIPS.




# **STEP 13 ROOF SUPPORT ASSEMBLY**


QTY	PART NUMBER	DESCRIPTION
12	H100385	SCREW PFH 8x1 BLK

**REPEAT ON ALL POSTS** 




### **STEP 14 - 14FT ROOF PANEL ASSEMBLY**







### **STEP 15 - 14FT ROOF PANEL ASSEMBLY**



### **STEP 16 - 14FT ROOF PANEL ASSEMBLY**




# **STEP 17A - 14FT ROOF PANEL ASSEMBLY**



### **STEP 17B - 14FT ROOF PANEL ASSEMBLY**

TIPS:

- USING THE Q01 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H01 BOARD USING THE DIMENSION BELOW.
- REPEAT ON OPPOSITE END WITH H09 BOARD.




### **STEP 17C - 14FT ROOF PANEL ASSEMBLY**

#### TIP:


LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED


### **CRITICAL:**

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




### **STEP 18 - 14FT ROOF PANEL ASSEMBLY**






### **STEP 19 - 14FT ROOF PANEL ASSEMBLY**



Q01

921-1(x1) 29GA SHEETING


# **STEP 20 - 14FT ROOF PANEL ASSEMBLY**



QTY	PART NUMBER	
8	H100833	SCREW WOODGRIP 10-16x3/4"


TIPS:

- POSITION THE RIDGE CAP CHANNEL OVER THE EDGE OF THE ROOF PANELS WITH THE WIDER SIDE OF THE CHANNEL ON THE BOTTOM.
- MAKE SURE THE PANELS ARE FULLY SEATED INTO THE CHANNEL.
- FLUSH THE TOP OF THE CHANNEL WITH THE TOP OF THE METAL PANELS.




### **STEP 21 - 14FT ROOF PANEL ASSEMBLY**

QTY	PART NUMBER	DESCRIPTION
44	H100833	SCREW WOODGRIP 10-16x3/4"



### REPEAT 14FT ROOF PANEL ASSEMBLY STEPS 14 THROUGH 21

### **STEP 22 - 10FT ROOF PANEL ASSEMBLY**






QTY	PART NUMBER	DESCRIPTION
4	H100398	T-NUT 1/4 BLK
4	H100171	BOLT WH 1/4x1 BLK

A4M01192 PANEL BRACKET


A4M01194 PANEL BRACKET

•


H11 (1) ROOF JOIST- W4L16297 1"x3 3/8"x15 15/16" (24x86x404)




# **STEP 23 - 10FT ROOF PANEL ASSEMBLY**



### **STEP 24 - 10FT ROOF PANEL ASSEMBLY**




### **STEP 25A - 10FT ROOF PANEL ASSEMBLY**



QTY	PART NUMBER	DESCRIPTION
4	H100382	SCREW PFH 8x1 3/4 BLK
10	H101030	SCREW 2" CONFIRMAT BLK


TIP:

• RAFTERS MAY NEED TO BE LOOSENED TO ATTACH Q02 TO H12/H10



### **STEP 25B - 10FT ROOF PANEL ASSEMBLY**

- USING THE Q02 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H12 BOARD USING THE DIMENSION BELOW.
- REPEAT ON OPPOSITE END WITH H10 BOARD.




# **STEP 25C - 10FT ROOF PANEL ASSEMBLY**

TIP:


• LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED

### **CRITICAL:**


- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




## **STEP 26 - 10FT ROOF PANEL ASSEMBLY**




### **STEP 27 - 10FT ROOF PANEL ASSEMBLY**



### WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




# **STEP 28 - 10FT ROOF PANEL ASSEMBLY**



QTY	PART NUMBER	DESCRIPTION
8	H100833	SCREW WOODGRIP 10-16x3/4"


TIPS:

- POSITION THE RIDGE CAP CHANNEL OVER THE EDGE OF THE ROOF PANELS WITH THE WIDER SIDE OF THE CHANNEL ON THE BOTTOM.
- MAKE SURE THE PANELS ARE FULLY SEATED INTO THE CHANNEL.
- FLUSH THE TOP OF THE CHANNEL WITH THE TOP OF THE METAL PANELS.



### **STEP 29 - 10FT ROOF PANEL ASSEMBLY**

QTY	PART NUMBER	DESCRIPTION
20	H100833	SCREW WOODGRIP 10-16x3/4"




### REPEAT 10FT ROOF PANEL ASSEMBLY STEPS 22 THROUGH 29

# **STEP 30 - 10FT ROOF PANEL ATTACHMENT**

#### TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

### WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




### **STEP 31 - 10FT ROOF PANEL ATTACHMENT**

QTY	PART NUMBER	DESCRIPTION
2	H100198	WASHER LOCK EXT 8X19 BLK
2	H100378	BOLT WH 5/16x1 3/4 BLK

TIPS:

- IF NECESSARY, USE A LONG SCREWDRIVER OR CLAMPS TO HOLD PANELS IN PLACE.
- INSERT BOLTS INTO THE SECOND HOLE FROM THE TOP OF THE H10 & H12 BOARDS.




### REPEAT 10FT ROOF PANEL INSTALLATION STEPS 30 & 31

# **STEP 32 - 14FT ROOF PANEL ATTACHMENT**

#### TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP, WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

### WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




# **STEP 33 - 14FT ROOF PANEL ATTACHMENT**

QTY	PART NUMBER	DESCRIPTION
2	H100198	WASHER LOCK EXT 8x19
2	H100378	BOLT WH 5/16x1 3/4 BLK


TIPS:

• IF NECESSARY, USE A LONG SCREWDRIVER OR CLAMPS TO HOLD PANELS IN PLACE.




# **STEP 34A - ROOF PANEL ATTACHMENT**

QTY	PART NUMBER	DESCRIPTION
4	H100198	WASHER LOCK EXT 8X19 BLK
4	H100770	WASHER FLAT 5/16 BLK
4	H100479	NUT LOCK 5/16 BLK
4	H100415	BOLT WH 5/16x3 3/4 BLK




### **STEP 34B - ROOF PANEL ATTACHMENT**

QTY	PART NUMBER	DESCRIPTION
12	H100198	WASHER LOCK EXT 8X19 BLK
12	H100770	WASHER FLAT 5/16 BLK
12	H100479	NUT LOCK 5/16 BLK
12	H100415	BOLT WH 5/16x3 3/4 BLK




### **STEP 35 - ROOF PANEL ATTACHMENT**


TIGHTEN ALL THE HARDWARE IN THE ORDER SHOWN BELOW. START AT THE TOP AND WORK YOUR WAY DOWN.




# **STEP 36 - ROOF ASSEMBLY**


QTY	PART NUMBER	DESCRIPTION
18	H100630	WASHER FLAT 8x19 BLK
36	H100536	SCREW PWH 8x1 1/4 BLK
18	H100653	NUT LOCK 1/4 BLK
18	H100488	BOLT WH 1/4x2 BLK





# **STEP 37 - ROOF ASSEMBLY**





### STEP 39 - 10FT ROOF TRIM




A4M02885 EDGE TRIM LONG

	PARTNUMBER	DESCRIPTION
16	H100759	SCREW SELF TAPPING 1/4x3/4

TIPS:

- START ON THE LEFT SIDE OF A 10FT PANEL.
- SLIDE EDGE TRIM PIECES TOGETHER AS SHOWN BELOW.
- MAKE SURE ALL PANELS ARE COVERED BEFORE INSTALLING SCREWS.
- INSTALL H100759 SCREWS AS SHOWN.




# **STEP 40 - ROOF ASSEMBLY**



QTY	PART NUMBER	DESCRIPTION
8	H100759	SCREW SELF TAPPING 1/4x3/4

TIPS:

- SLIDE CORNER RIDGE CAP ONTO ROOF RIDGE CAP CHANNEL AS SHOWN.
- DO NOT PUSH ALL THE WAY TO THE TOP. FLUSH WITH CORNER OF GAZEBO AS SHOWN.
- REPEAT ON ALL CORNERS.




# **STEP 41 - GAZEBO ASSEMBLY**





		BOM DESCRIPTION (config)
32	H100471	LAG SCREW WH 5/16x1 1/2 BLK

A4M01793 (x8) POST ANCHOR PLATE A4M01794 (x8) | POST PLATE



### **STEP 42 - GAZEBO ASSEMBLY**




QTY	PART NUMBER	DESCRIPTION
4	H100536	SCREW PWH 8x1 1/4 BLK




### **STEP 43 - GAZEBO ASSEMBLY**

Ī	QTY	PART NUMBER	DESCRIPTION
Ī	16	H100120	CONCRETE ANCHOR 1/4"x2"
ĺ	16	H100630	WASHER FLAT 8x19 BLK

MANUFACTURER RECOMMENDS INSTALLATION ON CONCRETE POST PADS, SEE BELOW. FOR INSTALLATION ON A WOOD DECK, YOU MUST ENSURE THERE IS AMPLE STRUCTURE SUPPORT UNDER DECK. SCEW ARE NOT PROVIDED TO ATTACH TO A DECK.




### **STEP 44 - GAZEBO ASSEMBLY (OPTIONAL)**




QTY	PART NUMBER	DESCRIPTION
4	H100382	SCREW PFH 8x1 3/4 BLK

A4M02501 FAN MOUNT BRACKET (x1)

-ATTACH YOUR ELECTRICAL BOX (SOLD SEPERATLY) WITH THE PROVIDED HOLES IN FAN MOUNT BRACKET. -PLACE FAN MOUNT BRACKET ON RIDGE BEAMS AND MOVE TO DESIRED FAN LOCATION. -ROTATE BRACKET UNTIL MOUNTING FLANGES ALIGN BEST WITH RIDGE BEAMS.



# <u>PowerPort</u>™



FOR POWERPORT INSTALLATION REFER TO ASSEMBLY INSTRUCTIONS THAT COME PACKAGED WITH THE POWERPORT KIT. INSTALL ON ANY POST THAT IS DESIRED. FOLLOW DIRECTIONS FOR PROPER INSTALLATION.