

Manufactured by: Backyard Discovery 3305 Airport Drive, Pittsburg, KS 66762 800-856-4445

Basepoint Business Centre: Rivermead Drive, Westlea, Swindon SN5 7EX Phone: 0800-118-2476 J.P. Coenstraat 7, The Bridge, The Hague, 2595 WP, Netherlands Phone: 08005678990

20x12 NORWOOD CARPORT/GAZEBO

MODEL #: 2207011B



Please visit www.backyarddiscovery.com

For the most up to date assembly manual, to register your product, or to order replacement parts Para obtener instrucciones en español, visite www.backyarddiscovery.com



EASY STEP-BY-STEP
3D INTERACTIVE INSTRUCTIONS

DOWNLOAD THE FREE APP






OWNER'S MANUAL - BASIC SETUP DIMENSIONS & ASSEMBLY NOTES

It is critically important that you start with square and level footings, concrete pad or deck to attach your structure


- Pay close attention to the items needed for each step. Make sure you are using the correct hardware for each step. Using incorrect hardware may result in improper assembly
- Remember to double check for underground utilities and overhead electrical lines

Post mounts are provided with your structure which allows you to permanently install your structure to a pre-existing or new wood or concrete surface. See Anchor Instructions for further details and recommendations.

- The hardware to attach the post mounts to the structure is included.
- The hardware to mount the structure permanently to a concrete surface is included.
- The hardware to mount the structure permanently to a wood deck is NOT included and will need to be purchased separately. You must ensure there is ample structural support under the deck before permanently attaching.



OWNER'S MANUAL - ANCHORING LAYOUT




WOOD COMPONENTS (NOT TO SCALE)


			0 0	0 0 0 0	
		>	0 0	0 0 0 0 0	
	GABLE BOARD - W4L16415 3/8"x5 1/4"x24 5/8" (36x134		D02 TOP (x4) 1 3/8	RAIL - W4L16379 "x5 1/4"x30 3/8" (36x134x770)	
0	0			0 0	
	D03 (x4)	TOP RAIL - W4L1 1 3/8"x5 1/4"x68 7		1749)	
				ه ۱	
	CORBEL - W4L16944 1 3/8"x5 1/4"x34 7/16" (36x´	34x875)		GABLE BOARD - W4L16753 3/8"x1 1/2"x5 1/4" (36x38x134)	
		0 0		0 0	0 0
D06 CORBEL - (x3) 1 3/8"x5 1/4	W4L16375 4"x44 1/16" (36x134x1119)			TOP RAIL - W4L16381 I 3/8"x5 1/4"x51 3/4" (36x134x1316)	
	~ °				
	E01 (x8)	RAFTER - W4L16 1 3/8"x3 3/8"x77 3		965)	
				,	
	E08 (x8)	RAFTER - W4L10 1 3/8"x3 3/8"x77		965)	
o.				0	
	E09 (x8)	ACCESSORY TR 1 3/8"x3 3/8"x73 7			
	· • F01	TRUSS - W4L164	114	• •	
	(x4)	1 3/8"x2 3/8"x75		907)	
	F02	TRUSS - W4L16	378	•	
	(x4)	1 3/8"x2 3/8"x68"		7)	
	0	•	o	•	
	H01 (x4)	FASCIA - W4L163 1"x3 3/8"x68 5/8")	
	٠	o	•	0	
	H02 (x4)	FASCIA - W4L16 1"x3 3/8"38 1/2" (
		•			
	H03 (x4)	FASCIA - W4L163 1"x3 3/8"x72 3/4" ()	

WOOD COMPONENTS (NOT TO SCALE)


								_	
	0					•	0		
	-	Н	04 FAS	CIA - W4L	_16386	-		_	
				3/8"x44 3		6x1128)			
								0	
•			•					0	
		H((x8		ATHING E 3/8"x72 3/		W4L16392 8x1849)	2		
	٠				۰				٠
	٠	H06 (x8)		HING BOA 'x74 3/8" (•
	٥					0	2		
		H07 (x8)		HNG BOA x42 3/4" (
	0					•			
		H08 (x8)		HING BOA 'x44 1/4" (
		J01 (x4)		NER BOA 3"x68 5/8"					
		J02 (x4)	STIFFE 1"x2 3/8	NER BOA 8"x47" (24					
		•							<u> </u>
									/
		GP1 (x2)		PANEL - \ 5 1/4"x80		9 2x134x203	7)		
	•						4		
		GP2	GABLE I	PANEL - \	W2A0338	30			
						2x134x203	R 7)		

WOOD COMPONENTS (NOT TO SCALE)






Hardware Components





8

Hardware Components




ACCESSORY COMPONENTS (NOT TO SCALE)










A4M02501 FAN MOUNT BRACKET (x1)10

ACCESSORY COMPONENTS (NOT TO SCALE)



(x2)

A4M02909

(x1)

29 GA STEL SHEETING

PRE-ASSEMBLY STEP 1 - SORTING PARTS

It is critical for ease of assembly that you take the time to sort and organize the wood and hardware.

WOOD PARTS:

- Organize wood parts by the three-digit, alpha-numeric number stamped on each board (ex. P01).
- If there are multiple boards with the same stamped number, stack those pieces together.
- Stamps can be found on the flat surface of the boards or on the end of the boards.
- Allow yourself plenty of room the wood pieces can take up a significant amount of space.

NOTE: CARTONS ARE NOT ORGANIZED BY BOARD NUMBER.




HARDWARE PARTS:

- We recommend that you have a separate table to organize the hardware.
- Hardware bags are printed with a seven-digit, alpha-numeric part number.
- You can organize your hardware by part number or group by hardware type (i.e. bolts, nuts, etc.).
- During assembly you only need to reference the last four digits of the number.



PRE-ASSEMBLY STEP 2 - TOOLS REQUIRED



PRE-ASSEMBLY STEP 3 - CHOOSE YOUR ASSEMBLY METHOD


There are several types of assembly instructions available to you.

- 1. Printed Assembly Manual included with your set
- 2. BILT APP 3D interactive instructions
- 3. Combination of the Printed Manual and BILT APP (Note: Step numbers can differ between the two methods)




STEP 4 - POST ASSEMBLY

QTY PART NUMBER DESCRIPTION
12 H100200 SCREW PFH 8x1 1/2 BLK



P02 POST - W2A03457 (x1) 6"x6"x89 1/2" (152x152x2274) A6P00308 6x6 POST FOOT (x3)

- FOR EASE OF ASSEMBLY, WE RECOMMEND USING SAW HORSES FOR STEPS 4 - 17.




STEP 5 - END GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
2	H100483	SCREW PFH 8x2 1/4 BLK







- ALIGN D05 WITH D01 ENSURING THAT BOTTOM FACES ARE FLUSH.
- DRILL 1/8" PILOT HOLES IN D01 USING D05 AS TEMPLATE.



STEP 6 - END GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100478	WASHER FLAT 8x27 BLK
4	H100479	NUT LOCK 5/16 BLK
4	H100881	BOLT WH 5/16x5 BLK






GT1 GABLE TRUSS - W2A03460 1 3/8"x34"x64 5/8" (36x864x845) (x2)

(x1) 1 3/8"x5 1/4"x24 5/8" (36x134x625)


- IF HOLES DO NOT ALIGN, USE METAL BRACKET AS A GUIDE AND DRILL THROUGH USING A 7/16" - (10mm) DRILL BIT, THEN ASSEMBLE.




STEP 7 - END GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
8	H100205	BOLT WH 5/16x2 1/4 BLK
8	H100478	WASHER FLAT 8x27 BLK
8	H100479	NUT LOCK 5/16 BLK

- IF HOLES DO NOT ALIGN, USE METAL BRACKET AS A GUIDE AND DRILL THROUGH USING A 7/16" - (10mm) DRILL BIT, THEN ASSEMBLE.




STEP 8A - END GABLE ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
5	H100205	BOLT WH 5/16x2 1/4 BLK
8	H100379	T-NUT 5/16 BLK
5	H100407	BOLT WH 5/16x1 1/2 BLK
1	H100458	LAG SCREW WH 5/16x2 BLK
10	H100478	WASHER FLAT 8x27 BLK
9	H100479	NUT LOCK 5/16 BLK
1	H100659	LAG SCREW HEX 5/16x1 1/2 BLK
4	H100850	BOLT WH 5/16x8 1/2 BLK
3	H101046	BOLT WH 5/16x7 1/2 BLK


INSERT T-NUTS FIRST




STEP 8B - END GABLE ASSEMBLY



QTY	PART NUMBER	DESCRIPTION
5	H100205	BOLT WH 5/16x2 1/4 BLK
8	H100379	T-NUT 5/16 BLK
5	H100407	BOLT WH 5/16x1 1/2 BLK
1	H100458	LAG SCREW WH 5/16x2 BLK
10	H100478	WASHER FLAT 8x27 BLK
9	H100479	NUT LOCK 5/16 BLK
1	H100659	LAG SCREW HEX 5/16x1 1/2 BLK
4	H100850	BOLT WH 5/16x8 1/2 BLK
3	H101046	BOLT WH 5/16x7 1/2 BLK




STEP 9 - END GABLE ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
4	H100195	BOLT WH 5/16x2 3/4 BLK
4	H100198	WASHER LOCK EXT 8x19
4	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6x15
2	H100792	LAG SCREW WH 1/4x3 BLK

- WHEN BUILDING THE SECOND END GABLE, TWO DO6 BOARDS WILL BE USED.




STEP 10 - END GABLE ASSEMBLY



QTY	PART NUMBER	DESCRIPTION
8	H100195	BOLT WH 5/16x2 3/4 BLK
8	H100198	WASHER LOCK EXT 8x19
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6x15
2	H100792	LAG SCREW WH 1/4x3 BLK


- INSERT T-NUTS FIRST




REPEAT POST AND END GABLE ASSEMBLY STEPS 4 THROUGH 10

STEP 11 - CENTER GABLE ASSEMBLY


QTY	PART NUMBER	
4	H100483	SCREW PFH 8x2 1/4 BLK






- COMPLETE THIS STEP TWICE

- ALIGN D05 WITH D01 ENSURING THAT BOTTOM FACES ARE FLUSH.
- DRILL 1/8" PILOT HOLES IN D01 USING D05 AS TEMPLATE.




STEP 12 - CENTER GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100379	T-NUT 5/16 BLK
4	H100513	BOLT WH 5/16x4 1/4 BLK









- IF HOLES DO NOT ALIGN, USE THE METAL BRACKET AS A GUIDE AND A 7/16" (10mm) DRILL BIT TO DRILL THROUGH THE BOARDS.

- INSERT T-NUTS FIRST




STEP 13 - CENTER GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
8	H100205	BOLT WH 5/16x2 1/4 BLK
8	H100478	WASHER FLAT 8x27 BLK
8	H100479	NUT LOCK 5/16 BLK




- ENSURE THAT ALL BOLT HEADS ARE ON THE SAME SIDE AT THIS STEP.




STEP 14 - CENTER GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100379	T-NUT 5/16 BLK
4	H100513	BOLT WH 5/16x4 1/4 BLK








(x2) 1 3/8 x34 x64 5/8 (36x664x645)


- IF HOLES DO NOT ALIGN, USE THE METAL BRACKET AS A GUIDE AND A 7/16" (10mm) DRILL BIT TO DRILL THROUGH THE BOARDS.
- INSERT T-NUTS FIRST

- MOERT T-NOTOTING



STEP 15 - CENTER GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
8	H100205	BOLT WH 5/16x2 1/4 BLK
8	H100478	WASHER FLAT 8x27 BLK
8	H100479	NUT LOCK 5/16 BLK




STEP 16 - CENTER GABLE ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
10	H100198	WASHER LOCK EXT 8x19
6	H100379	T-NUT 5/16 BLK
4	H100458	LAG SCREW WH 5/16x2 BLK
6	H101058	BOLT WH 5/16x8 3/4 BLK

P03 POST - W2A03458

P03 POST - W2A03458 (x2) 6"x6"x89 1/2" (152x152x2274)

- INSERT T-NUTS FIRST





STEP 17 - CENTER GABLE ASSEMBLY

D07 TOP RAIL - W4L16381

(x2) 1 3/8"x5 1/4"x51 3/4" (36x134x1316)

QTY	PART NUMBER	DESCRIPTION
28	H100198	WASHER LOCK EXT 8x19
20	H100205	BOLT WH 5/16x2 1/4 BLK
30	H100478	WASHER FLAT 8x27 BLK
28	H100479	NUT LOCK 5/16 BLK
2	H100659	LAG SCREW HEX 5/16x1 1/2 BLK
8	H100765	BOLT WH 5/16x8 BLK






STEP 18 - GAZEBO ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
8	H100195	BOLT WH 5/16x2 3/4 BLK
8	H100198	WASHER LOCK EXT 8x19
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6x15
2	H100792	LAG SCREW WH 1/4x3 BLK




STEP 19 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
12	H100195	BOLT WH 5/16x2 3/4 BLK
12	H100198	WASHER LOCK EXT 8x19
12	H100379	T-NUT 5/16 BLK


F02 TRUSS - W4L16378 (x4) 1 3/8"x2 3/8"x68" (36x60x1727)



STEP 20 - GAZEBO ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
8	H100195	BOLT WH 5/16x2 3/4 BLK
8	H100198	WASHER LOCK EXT 8x19
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6x15
2	H100792	LAG SCREW WH 1/4x3 BLK



STEP 21 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
16	H100201	SCREW PFH 8x2 1/2 BLK

F01 TRUSS - W4L16414 (x4) 1 3/8"x2 3/8"x75 1/8" (36x60x1907)




STEP 22 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100201	SCREW PFH 8x2 1/2 BLK
12	H100405	WASHER LOCK EXT 6x15
12	H100564	LAG SCREW WH 1/4x4 BLK


GP1 GABLE PANEL - W2A03379 (x2) 2 13/16"x5 1/4"x80 3/16" (72x134x2037)


GP2 GABLE PANEL - W2A03380 (x2) 2 13/16"x5 1/4"x80 3/16" (72x134x2037)




STEP 23 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
4	H100200	SCREW PFH 8x1 1/2 BLK
8	H100471	LAG SCREW WH 5/16x1 1/2 BLK









STEP 24 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
16	H100823	SCREW PWH 8x1 1/2 BLK






STEP 25 - SQUARE ASSEMBLY

CRITICAL: SQUARE ASSEMBLY BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, ENSURE ALL HARDWARE IS FULLY TIGHTENED.


MEASUREMENTS TAKEN FROM INSIDE OF POST TO INSIDE OF POST.



ONCE A ROOF PANEL IS COMPLETE, SET IT TO THE SIDE. KEEP TRACK OF A, B, C, AND D AS THEIR PLACEMENT IS CRITICAL IN LATER STEPS.

STEP 26 - ROOF PANEL A ASSEMBLY

QTY PART NUMBER DESCRIPTION H100379 T-NUT 5/16 BLK H100391 SCREW PFH 8x2 BLK



40

STEP 27A - ROOF PANEL A ASSEMBLY


QTYPART NUMBERDESCRIPTION32H100391SCREW PFH 8x2 BLK

H05 SHEATHING BOARD - W4L16392 (x2) 1"x3 3/8"x72 3/4" (24x86x1849)

H06 SHEATHING BOARD - W4L16393 (x2) 1"x3 3/8"x74 3/8" (24x86x1888)

H07 SHEATHING BOARD - W4L16394 (x2) 1"x3 3/8"x42 3/4" (24x86x1085) H08 SHEATHING BOARD - W4L16395 (x2) 1"x3 3/8"x44 1/4" (24x86x1124)


- DO NOT FULLY TIGHTEN SCREWS.



STEP 27B - ROOF PANEL A ASSEMBLY

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE HELD WITHIN +/- 1/4" (6mm).
 MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




ONCE PANEL IS SQUARED, FULLY TIGHTEN SCREWS.

STEP 28 - ROOF PANEL A ASSEMBLY

ROOF PANEL A

- USE THIS STEP TO FAMILIARIZE YOURSELF WITH THE ROOF PANEL AND ASSIST YOU IN STEPS 29-30.
- REMOVE PROTECTIVE BLUE FILM.
- START AT THE END INDICATED AND ASSEMBLY IN THE DIRECTION OF THE ARROW.
- WHEN LAYING OUT ROOF SHEETS, MAKE SURE EVERY SHEET LANDS AT THE APPROXIMATE DIMENSION BELOW.
- REFER TO THIS STEP FOR EACH ROOF SHEET ATTACHMENT TO ENSURE CORRECT POSITION OF ROOF SHEETS.
- GLOVES SHOULD BE WORN WHEN HANDLING ROOF PANELS: EDGES ARE SHARP.




ROOF PANEL STEPS 29-30


QTY PART NUMBER DESCRIPTION STEP 29 - ROOF PANEL A 32 H100833 SCREW WOODGRIP 10-16x3/4" **ASSEMBLY** A4M02639 29 GA STEEL SHEETING (x2)- MAKE SURE YOUR ROOF PANEL IS SQUARE BEFORE MOVING ON. NOTE RIB OVERLAP 833 (x32) SCREW - 3/4" 3/8" [8mm] 2639 (x2) 29 GA STEEL SHEETING PLACE SHEETING ON ROOF PANEL, ALIGNING EDGE OF RIB 3/8" (8mm) FROM END OF H BOARD.


3/8" [8mm]

STEP 30 - ROOF PANEL A ASSEMBLY

	PART NUMBER	DESCRIPTION
32	H100833	SCREW WOODGRIP 10-16x3/4







PART NUMBER DESCRIPTION STEP 31 - ROOF PANEL B ASSEMBLY H100379 T-NUT 5/16 BLK 16 H100391 SCREW PFH 8x2 BLK E01 **RAFTER - W4L16382** RAFTER - W4L16755 E08 1 3/8"x3 3/8"x77 3/8" (36x86x1965) (x2)1 3/8"x3 3/8"x77 3/8" (36x86x1965) (x2)H02 FASCIA - W4L16384 H01 FASCIA - W4L16383 (x1) 1"x3 3/8"38 1/2" (24x86x978) 1"x3 3/8"x68 5/8" (24x86x1742) (x1)H03 FASCIA - W4L16385 FASCIA - W4L16386 H04 (x1)1"x3 3/8"x72 3/4" (24x86x1849) 1"x3 3/8"x44 3/8" (24x86x1128) - INSERT T-NUTS FIRST H01 (x1) FASCIA H02 (x1) FASCIA E01 (x2) RAFTER E08 (x2) RAFTER 379 (x2) T-NUT - 5/16" H04 (x1) H03 (x1) FASCIA FASCIA CORRECT ORIENTATION AND PLACEMENT OF H BOARDS IS CRITICAL FOR LATER STEPS.

46

391 (x16) SCREW - 2"

STEP 32A - ROOF PANEL B ASSEMBLY

QTY PART NUMBER DESCRIPTION
32 H100391 SCREW PFH 8x2 BLK


H05 SHEATHING BOARD - W4L16392 (x2) 1"x3 3/8"x72 3/4" (24x86x1849)

H06 SHEATHING BOARD - W4L16393 (x2) 1"x3 3/8"x74 3/8" (24x86x1888)

H07 SHEATHING BOARD - W4L16394 (x2) 1"x3 3/8"x42 3/4" (24x86x1085)

(x2) 1"x3 3/8"x44 1/4" (24x86x1124)


- DO NOT FULLY TIGHTEN SCREWS.



STEP 32B - ROOF PANEL B ASSEMBLY

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE HELD WITHIN +/- 1/4".
 MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




ONCE PANEL IS SQUARED, FULLY TIGHTEN SCREWS.

STEP 33 - ROOF PANEL B ASSEMBLY

ROOF PANEL B

- USE THIS STEP TO FAMILIARIZE YOURSELF WITH THE ROOF PANEL AND ASSIST YOU IN STEPS 34-35.
- REMOVE PROTECTIVE BLUE FILM.
- START AT THE END INDICATED AND ASSEMBLY IN THE DIRECTION OF THE ARROW.
- WHEN LAYING OUT ROOF SHEETS, MAKE SURE EVERY SHEET LANDS AT THE APPROXIMATE DIMENSION BELOW.
- REFER TO THIS STEP FOR EACH ROOF SHEET ATTACHMENT TO ENSURE CORRECT POSITION OF ROOF SHEETS.
- GLOVES SHOULD BE WORN WHEN HANDLING ROOF PANELS: EDGES ARE SHARP.




STEP 34 - ROOF PANEL B ASSEMBLY

3/8" [8mm]

QTYPART NUMBERDESCRIPTION32H100833SCREW WOODGRIP 10-16x3/4"




A4M02639 29 GA STEEL SHEETING (x2)





50

STEP 35 - ROOF PANEL B ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
32	H100833	SCREW WOODGRIP 10-16x3/4








STEP 36 - ROOF PANEL C ASSEMBLY

QTY PART NUMBER | DESCRIPTION H100379 T-NUT 5/16 BLK 16 H100391 SCREW PFH 8x2 BLK



52

STEP 37A - ROOF PANEL C ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
32	H100391	SCREW PFH 8x2 BLK

į.		<u> </u>	2
	H05 (x2)	SHEATHING BOARD - W4L1639 1"x3 3/8"x72 3/4" (24x86x1849)	2

H06 SHEATHING BOARD - W4L16393 (x2) 1"x3 3/8"x74 3/8" (24x86x1888)

H08 SHEATHING BOARD - W4L16395 (x2) 1"x3 3/8"x44 1/4" (24x86x1124)


- DO NOT FULLY TIGHTEN SCREWS.



STEP 37B - ROOF PANEL C ASSEMBLY

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE HELD WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




ONCE PANEL IS SQUARED, FULLY TIGHTEN SCREWS.

STEP 38 ROOF PANEL C ASSEMBLY

ROOF PANEL C


- USE THIS STEP TO FAMILIARIZE YOURSELF WITH THE ROOF PANEL AND ASSIST YOU IN STEPS 39-40.
- REMOVE PROTECTIVE BLUE FILM.
- START AT THE END INDICATED AND ASSEMBLY IN THE DIRECTION OF THE ARROW.
- WHEN LAYING OUT ROOF SHEETS, MAKE SURE EVERY SHEET LANDS AT THE APPROXIMATE DIMENSION BELOW.
- REFER TO THIS STEP FOR EACH ROOF SHEET ATTACHMENT TO ENSURE CORRECT POSITION OF ROOF SHEETS.
- GLOVES SHOULD BE WORN WHEN HANDLING ROOF PANELS: EDGES ARE SHARP.



STEP 39 - ROOF PANEL C ASSEMBLY QTYPART NUMBERDESCRIPTION32H100833SCREW WOODGRIP 10-16x3/4"





A4M02639 29 GA STEEL SHEETING (x2)




STEP 40 - ROOF PANEL C ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
32	H100833	SCREW WOODGRIP 10-16x3/4







QTY PART NUMBER DESCRIPTION STEP 41 - ROOF PANEL D ASSEMBLY H100379 T-NUT 5/16 BLK 16 H100391 SCREW PFH 8x2 BLK RAFTER - W4L16382 E01 RAFTER - W4L16755 1 3/8"x3 3/8"x77 3/8" (36x86x1965) (x2)1 3/8"x3 3/8"x77 3/8" (36x86x1965) (x2)FASCIA - W4L16384 H02 H01 FASCIA - W4L16383 (x1)1"x3 3/8"38 1/2" (24x86x978) (x1)1"x3 3/8"x68 5/8" (24x86x1742) H04 FASCIA - W4L16386 H03 FASCIA - W4L16385 (x1)1"x3 3/8"x72 3/4" (24x86x1849) (x1)1"x3 3/8"x44 3/8" (24x86x1128) - INSERT T-NUTS FIRST H01 (x1) FASCIA H02 (x1) FASCIA E01 (x2) RAFTER E08 (x2) RAFTER 379 (x2) T-NUT - 5/16" H04 (x1) FASCIA H03 (x1) FASCIA CORRECT ORIENTATION AND PLACEMENT OF H BOARDS IS CRITICAL FOR LATER STEPS.


391 (x16) SCREW - 2"

STEP 42A - ROOF PANEL D ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
32	H100391	SCREW PFH 8x2 BLK

2011-100	4	
H05 (x2)	SHEATHING BOARD - W4L16392 1"x3 3/8"x72 3/4" (24x86x1849)	
e F		*
H06	SHEATHING BOARD - W4L16393	


H07 SHEATHING BOARD - W4L16394 (x2) 1"x3 3/8"x42 3/4" (24x86x1085) H08 SHEATHING BOARD - W4L16395 (x2) 1"x3 3/8"x44 1/4" (24x86x1124)



STEP 42B - ROOF PANEL D ASSEMBLY

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE HELD WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




ONCE PANEL IS SQUARED, FULLY TIGHTEN SCREWS.

STEP 43 - ROOF PANEL D ASSEMBLY

ROOF PANEL D


- USE THIS STEP TO FAMILIARIZE YOURSELF WITH THE ROOF PANEL AND ASSIST YOU IN STEPS 44-45.
- REMOVE PROTECTIVE BLUE FILM.
- START AT THE END INDICATED AND ASSEMBLY IN THE DIRECTION OF THE ARROW.
- WHEN LAYING OUT ROOF SHEETS, MAKE SURE EVERY SHEET LANDS AT THE APPROXIMATE DIMENSION BELOW.
- REFER TO THIS STEP FOR EACH ROOF SHEET ATTACHMENT TO ENSURE CORRECT POSITION OF ROOF SHEETS.
- GLOVES SHOULD BE WORN WHEN HANDLING ROOF PANELS: EDGES ARE SHARP.




ROOF PANEL STEPS 44-45

STEP 44 - ROOF PANEL D ASSEMBLY

QTYPART NUMBERDESCRIPTION32H100833SCREW WOODGRIP 10-16x3/4"




A4M02639 29 GA STEEL SHEETING (x2)




STEP 45 - ROOF PANEL D ASSEMBLY

Q	TY	PART NUMBER	DESCRIPTION
32	2	H100833	SCREW WOODGRIP 10-16x3/4







A4M02909 29 GA STEEL SHEETING (x1)



STEP 46 - RIDGE CAP ASSEMBLY



- COMPLETE THIS STEP TWICE.



STEP 47 - RIDGE CAP A ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
16	H100833	SCREW WOODGRIP 10-16x3/4"

J01 STIFFENER BOARD - W4L16401 (x2) 1"x2 3/8"x68 5/8" (24x60x1744)

J02 STIFFENER BOARD - W4L16402 (x2) 1"x2 3/8"x47" (24x60x1194)

A6P00398 RIDGE CAP PROTECTOR (x1)

- REMOVE SPACERS FROM RIDGE CAP PROTECTOR BEFORE INSTALLING.
- FINAL LENGTH 9'-7 3/4" [2940mm]




STEP 48 - RIDGE CAP B ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
16	H100833	SCREW WOODGRIP 10-16x3/4"

J01 STIFFENER BOARD - W4L16401 (x2) 1"x2 3/8"x68 5/8" (24x60x1744) J02 STIFFENER BOARD - W4L16402 (x2) 1"x2 3/8"x47" (24x60x1194)

A6P00398 RIDGE CAP PROTECTOR A6P00514 MID RIDGE CAP PROTECTOR (x1)


- REMOVE SPACERS FROM RIDGE CAP PROTECTORS BEFORE INSTALLING.
- FINAL LENGTH 9'-8 1/2" [2955mm]



STEP 49 - ROOF PANEL A ATTACHMENT


QTY	PART NUMBER	DESCRIPTION
1	H100391	SCREW PFH 8x2 BLK

- ADDITIONAL PEOPLE ARE HELPFUL FOR THIS STEP.
- SLIDE ROOF PANEL ALONG TRACKS ON RAFTERS.
- ONCE IN PLACE INSTALL ATTACHMENT HARDWARE AS SHOWN.
- HOLD ROOF PANEL IN PLACE UNTIL NEXT STEP.



STEP 50 - ROOF ATTACHMENT


QTY	PART NUMBER	DESCRIPTION
3	H100198	WASHER LOCK EXT 8x19
3	H100378	BOLT WH 5/16x1 3/4 BLK
3	H100379	T-NUT 5/16 BLK
1	H100391	SCREW PFH 8x2 BLK




68

STEP 51 - ROOF ATTACHMENT


QTY	PART NUMBER	DESCRIPTION
8	H100833	SCREW WOODGRIP 10-16x3/4"






STEP 52 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
16	H100392	SCREW PWH 8x3/4 BLK




RIDGE CAP A - FROM STEPS 46-47



STEP 53 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
1	H100391	SCREW PFH 8x2 BLK


- ADDITIONAL PEOPLE ARE HELPFUL FOR THIS STEP.
- SLIDE ROOF PANEL ALONG TRACKS ON RAFTERS.
- ONCE IN PLACE INSTALL ATTACHMENT HARDWARE AS SHOWN.



STEP 54 - ROOF ATTACHMENT


QTY	PART NUMBER	DESCRIPTION
4	H100833	SCREW WOODGRIP 10-16x3/4"

A4M02679 ROOF END TRIM (x1)




STEP 55 - ROOF ATTACHMENT

QTYPART NUMBERDESCRIPTION8H100392SCREW PWH 8x3/4 BLK



RIDGE CAP B - FROM STEPS 46 & 48




STEP 56 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
3	H100198	WASHER LOCK EXT 8x19
3	H100378	BOLT WH 5/16x1 3/4 BLK
3	H100379	T-NUT 5/16 BLK
1	H100391	SCREW PFH 8x2 BLK

- ADDITIONAL PEOPLE ARE HELPFUL FOR THIS STEP.
- ONCE IN PLACE, INSTALL ATTACHMENT HARDWARE AS SHOWN.
- ATTACH BOLT AND LOCK NUT HARDWARE BEFORE ATTACHING SCREW.
- THE CORNER OF THE EXISTING ROOF PANEL MAY NEED TO BE LIFTED UP TO GET THE ROOF PANEL STARTED SLIDING UP.


ROOF PANEL D

391 (x1) SCREW - 2"



STEP 57 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
8	H100392	SCREW PWH 8x3/4 BLK




STEP 58 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
4	H100833	SCREW WOODGRIP 10-16x3/4"


A4M02680 ROOF END TRIM (x1)

- SLIDE ROOF END TRIM UNDER RIDGE CAP ASSEMBLY, THEN SCREW IT INTO PLACE.
- ATTACH SCREWS IN LINE WITH ROOF PANEL SCREWS.




STEP 59 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100195	BOLT WH 5/16x2 3/4 BLK
6	H100478	WASHER FLAT 8x27 BLK
6	H100479	NUT LOCK 5/16 BLK
4	H100881	BOLT WH 5/16x5 BLK






- ATTACH TRUSS BRACKET TO BOTH SODES OF CENTER GABLE.
- INSERT 881 BOLTS FIRST TO HOLD BRACKETS, THEN INSERT 195 BOLTS AND ALL WASHERS AND LOCK NUTS.




STEP 60 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100195	BOLT WH 5/16x2 3/4 BLK
4	H100354	BOLT WH 5/16x6 1/2 BLK
6	H100478	WASHER FLAT 8x27 BLK
6	H100479	NUT LOCK 5/16 BLK




(x2) A4M01148 TRUSS BRACKET




STEP 61 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
16	H100392	SCREW PWH 8x3/4 BLK
8	H100468	BOLT WH 5/16x1 BLK




- ATTACH BOLTS TO T-NUTS INSTALLED IN PREVIOUS STEPS.
- INSTALL SCREWS TO SECURE ROOF PANELS TO SHEATHING BRACKETS.



STEP 62 - ROOF ATTACHMENT


QTY	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8x19
8	H100478	WASHER FLAT 8x27 BLK
8	H100479	NUT LOCK 5/16 BLK
8	H100480	BOLT WH 5/16x4 3/4 BLK


E09 ACCESSORY TRUSS - W4L16756 (x8) 1 3/8"x3 3/8"x73 7/8" (36x86x1875)



STEP 63 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
16	H100488	BOLT WH 1/4x2 BLK
16	H100630	WASHER FLAT 8x19 BLK
16	H100653	NUT LOCK 1/4 BLK
32	H100797	SCREW PWH 8x1 BLK






STEP 64 - ROOF ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
32	H100759	SCREW SELF TAPPING 1/4x1


SCREWS GO THROUGH EDGE TRIM INTO THE TOP OF

THE RIBS IN THE APPROXIMATE LOCATIONS SHOWN.



- COMPLETE THIS STEP FOR OPPOSITE SIDE.

- DUE TO MULTIPLE LAYERS OF METAL ON THE EDGE TRIM, IT IS RECOMMENDED THAT A 1/8" (3mm) DRILL BIT IS USED TO CREATE STARTER HOLE'S.
- REMOVE PROTECTIVE BLUE FILM.
- GLOVES SHOULD BE WORN WHEN HANDLING ROOF




SLIDE TRIM INTO SPLICE ENSURING THAT BOTH ENDS ARE FLUSH WITH THE EDGES OF ROOF PANELS.


STEP 65 - GAZEBO ASSEMBLY (OPTIONAL)

 QTY
 PART NUMBER
 DESCRIPTION

 4
 H100382
 SCREW PFH 8x1 3/4 BLK





- ATTACH YOUR ELECTRICAL BOX (SOLD SEPARATELY)
WITH THE PROVIDED HOLES IN FAN MOUNT BRACKET.
- PLACE FAN MOUNT BRACKET ON RIDGE BEAMS AND MOVE
TO DESIRED FAN LOCATION.
- ROTATE BRACKET UNTIL MOUNTING FLANGES ALIGN BEST




STEP 66 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
48	H100471	LAG SCREW WH 5/16x1 1/2 BLK






- USE PILOT HOLES IN POST TO INSTALL LAG SCREWS.



STEP 67 - GAZEBO ASSEMBLY


QTY	PART NUMBER	DESCRIPTION
4	H100202	SCREW PWH 8x5/8 BLK






STEP 68 - GAZEBO ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
24	H100120	CONCRETE ANCHOR 1/4"x2"
24	H100630	WASHER FLAT 8x19 BLK



PowerPort™



FOR POWERPORT INSTALLATION REFER TO ASSEMBLY INSTRUCTIONS THAT COME PACKAGED WITH THE POWERPORT KIT. INSTALL ON ANY POST THAT IS DESIRED. FOLLOW DIRECTIONS FOR PROPER INSTALLATION.